



## Sow Tri Bar Floor

Deba Brothers® is a professional China Sow Tri Bar Floor manufacturers and suppliers. Tri-Bar floor can be used in farrowing crate, gestation stall and finishing stall for sows. Compared with the traditional floor, tri-bar floor is stronger and more durable. Hot-Dip galvanized coating could reduce corrosion, and rust. With the triangular shape of the steel rod, tri dek metal floor will hold less feces than other floors, which will be easy to clean and preventing the spread of disease.

## Product Description

Deba Brothers® is a professional leader China Sow Tri Bar Floor manufacturers with high quality and reasonable price. The sow tri bar floor made by Deba Brothers® is relatively large, so it is enough to put a piece of it on the sow position on the farrowing crate. The sow tri bar floor can be used in the farrowing crate, gestation stall and finisher stall for sows. The sow tri bar floor is easy to clean, has great bearing capacity, is easy to clean and has a long service life.

## Sow Tri Bar Floor Specification

A(mm)	B(mm)
600	2400
700	2400
800	2400
400	2400
500	2400
Custom made size	

## Sow Tri Bar Floor Advantage


1. The triangular bar steel floor can be used in farrowing crate, weaning pen, and fatten pen.
2. Compared with the traditional floor, the triangular steel floor is stronger and more

durable. The whole hot galvanizing process, the lifespan will not be corrosion, rust.  
3.High-density substrate, hot-dip galvanized, smooth without barbs, durable.  
4.Has a strong anti-slip function, especially suitable for wet areas.  
5.The tri-bar pig floor have the very perfect drain of manure. And let the sows stand on is have good feel of sleeping.


### **Sow Tri Bar Floor details**

- 1.Overall hot dip galvanized: The life will not be corrosion, rust.
- 2.Triangular shape: The floor beams will not be residual feces, easy to clean, leading to preventing the spread of disease.
- 3.Anti-slip treatment:Wavy surface with good anti-slip effect.
- 4.Welding is tidy: With long durability, the triangular steel floor can be used in farrowing room, weaning room, and fatten room.

## PRODUCT DESCRIPTION



## PRODUCT SIZE



A(mm)	B(mm)
400	2400
600	2400
700	2400


注： Can be customized according to your needs

## PRODUCT ADVANTAGE




### | OVERALL HOT DIP GALVANIZED

The life will not be corrosion, rust



### | TRIANGULAR SHAPE

the floor beams will not be residual feces,  
Easy to clean, leading to preventing the  
spread of disease.



### | ANTI-SLIP TREATMENT

Wavy surface with good anti-slip effect



### | WELDING IS TIDY

With long durability, The triangular steel floor  
can be used in farrowing room, weaning  
room, and fatten room.



The triangular steel floor can be used in farrowing room,  
weaning room, and fatten room.



Compared with the traditional floor, the triangular steel floor is stronger and more durable. The Whole hot galvanizing process, the life will not be corrosion, rust.